

FELLOWS

The UXO risk management experts

Part of the Optima Group

BeFirst



Detailed UXO Risk Assessment

FIL Reference: 2663R

Client: Be First [Regeneration] Ltd

Project: Keir Hardie Way, Barking

Site Location: Keir Hardie Way, Barking, IG11 9NX

Report date: 18 September 2020



www.fellowsint.com



Document Control

Version Date	Version	Author	Reviewer	Comments
18 Sep 20	1.0	Toby Chesson	Mark Khan	Original

Quality check

Version Date	Version	Checked by	Comments
22 Sep 20	1.0	Emily Osborne	QC / format check

Document Approval

	Reviewed by	Approved by
Signature		
Print Name	Mark Khan	Jason Webb MIEExpE
Date	22 September 2020	22 September 2020

Distribution

Date	Copy No.	Recipient	Format
22 Sep 20	1	Be First (Regeneration) Ltd.	PDF
22 Sep 20	2	Fellows International Office	PDF

Contents

Acronyms and Abbreviations	3
1. Executive Summary	4
2. Report Methodology	7
3. Requirement for UXO Risk Assessment.....	8
4. Site Description [Current]	9
5. Barking and Dagenham Military History	10
6. Site Environment.....	17
7. Sources of Potential Unexploded Ordnance.....	18
8. Aerial Bombing.....	19
9. UXB Risk at the Site	26
10. Other Military Ordnance.....	27
11. Overall UXO Risk Assessment.....	33
12. Recommendations to Reduce UXO Risk to ALARP	36
13. References	37

Acronyms and Abbreviations

AAA	Anti-Aircraft Artillery
AP	Armour Piercing
AP	Anti-Personnel
ARP	Air Raid Precaution (Wardens)
BD	Bombing Density
BGL	Below Ground Level
BGS	British Geological Survey (UK)
BH	Borehole
CDM	Construction (Design and Management) Regulations 2015 (UK)
CIRIA	Construction Industry Research and Information Association
CPT	Cone Penetrometer Test
EOC	Explosive Ordnance Clearance
EOD	Explosive Ordnance Disposal
ERP	Emergency Response Plan
ERW	Explosive Remnants of War
FFE	Free From Explosives
GI	Ground Investigation
GPS	Global Positioning System
HE	High Explosive
HSE	Health and Safety Executive
HSWA	Health and Safety at Work Act 1974
IB	Incendiary Bomb
JSEODOC	Joint Services Explosive Ordnance Disposal Operations Centre (UK)
LE	Low Explosive
LM	Luftmine (Germany)
LSA	Land Service Ammunition
MOD	Ministry of Defence (UK)
NEQ	Net Explosive Quantity
RAF	Royal Air Force
RN	Royal Navy
ROF	Royal Ordnance Factory
SAA	Small Arms Ammunition
SAP	Semi-Armour-Piercing
SI	Site Investigation
SIP	Self-Igniting Phosphorous
UXB	Unexploded Bomb
UXO	Unexploded Ordnance
V1	Vengeance Weapon 1 - Flying bombs or doodlebugs
V2	Vengeance Weapon 2 - Long range rocket
WW	World War

1. Executive Summary

Site details

The site comprises an area of 0.15 hectares of urbanised land, consisting of a mixture of shallow made ground (parking ground and parking garages), directly South of Keir Hardie Way and to the north of Rippleside Cemetery in the London borough of Barking and Dagenham. The approximate grid reference of the site is SV 00052 00000 and the area postcode is IG11 9NX.

Risk Assessment

Unexploded Ordnance (UXO) risk at the site is assessed as:

UXO	RISK
German Air Service Munitions	Medium Risk
British Anti-Air defensive munitions	Low Risk
Other (Land service Ammunition / Historic [Home Guard] / Military Training)	Negligible Risk

Full detail of the UXO risk and the risk assessment process is within section 11.

German Air Service Munitions

During the Second World War, Barking and Dagenham was targeted repeatedly, owing to numerous strategic targets contained within the borough, including at least three targets identified in Luftwaffe aerial photography within a 5km radius of the site. There were 16 HE bomb strikes within a 500m radius of the site. The closest of these bombs is recorded as having fallen approximately 60m north west of the site boundary. During the conflict, the site comprised unmade ground and post-war aerial photography does not reveal any obvious bomb damage within the site boundary. During the immediate post-war period shallow works were completed across the site including car parking and garages. A low density of HE bomb strikes were recorded in close proximity to the site, however, due to the presence of unmade ground during the Second World War, with post-war construction limited to shallow made ground, it is assessed that there is a medium risk of encountering buried German aerial UXBs.

AAA Emplacements

There were three HAA batteries within a 5km radius of the site, with five AA shells recorded as having fallen in close proximity to the site, the closest falling approximately 300m to the north east of the site boundary. A 'Z' Type 3" Rocket Battery was situated approximately 1.8km north east of the site in Parsloes Park. While the site comprised open ground during the Second World War, given extensive development of the adjacent areas and constant use during the post-war period, the risk of encountering 'fall to earth,' AA munitions has been assessed as low.

Other (Land service Ammunition etc.)

No military sites are located nearby, therefore these types of munitions would not have been present. It is assessed that the risk of encounter is negligible.

UXO Risk mitigation recommendations

For all works within the site area:

UXO Awareness Training

A UXO Awareness Brief (UXOAB) be delivered to all site personnel. This can also include a site safety walk-through and provision of a UXO Emergency Response Plan for inclusion into the site H&S documentation.

For Piling / deep excavations

If piling is planned within the client scope of works, risk mitigation processes, including Cone Penetration Testing will be required for pile positions into virgin ground.

For deep excavations (deeper than 2m below existing ground level) a UXO Engineer should be retained on-site to oversee groundworks.

On-call Service

For areas / sites where on-site support is not considered necessary, Fellows provide an on-call service whereby clients can call Fellows between 0800 and 1800 Mon-Fri (out of these hours by prior arrangement) and a senior member of the operations team will be able to answer queries and offer advice on any items of potential UXO found during site works.

This can significantly reduce the risk of accidental detonation when items are found unexpectedly and can often fulfil local authority planning stipulations for UXO risk mitigation.

Emergency Response Plan

A site-specific emergency response plan (ERP) should be produced to provide clear and precise guidance on what to do should UXO be encountered, and / or detonated as part of the site works. It should be accompanied by emergency management team roles and responsibilities.

The ERP should be included in the health and safety plan for the proposed works and communicated to the work force at the operational level, typically as part of a toolbox talk. The ERP should be appropriate to the level of risk identified in this desk study.

Fellows International Limited can provide all of the above services and would be pleased to provide a proposal accordingly.

For further information, or to discuss requirements, please get in touch.

Web – www.fellowsint.com

Tel – 08000 424 424

Email – info@fellowsint.com

2. Report Methodology

The aim of this report is to conduct a comprehensive assessment of the potential risk from UXO at the site as described by the client.

Every reasonable effort has been made to ensure that all available historical information has been assessed and checked. Where possible, evidence has been included in the report to enable the client to understand the basis of the risk assessment. Fellows cannot be held responsible for any changes to the assessed level of risk or risk mitigation measures based on documentation or other information that may come to light at a later date. The accuracy of wartime records is frequently difficult to verify. As a result, conclusions as to the exact location, quantity and nature of the ordnance threat can never be definitive but must be based on the accumulation and careful analysis of all accessible evidence. Fellows cannot be held responsible for inaccuracies or gaps in the available historical information. All sources are referenced at Section 12.

The report recommends appropriate site and work-specific risk mitigation measures to reduce the risk from explosive ordnance during the envisaged works to a level that is as low as reasonably practicable [ALARP].

This report follows the guidelines outlined in CIRIA Report C681, 'Unexploded Ordnance [UXO] A Guide for the Construction Industry' and CIRIA C785, 'Unexploded Ordnance [UXO] Risk Management'.

Fellows has been supporting the UK construction industry with UXO Risk Management measures for over two decades and offer the complete UXO risk management process from the preliminary and detailed desk study through to the physical site survey and finally, the identification and removal or disposal of an item, either in house or in liaison with military disposal assets. Our desk top studies enable our clients to accurately assess the UXO risk and take proportionate, cost effective action to manage the risk posed by unexploded aerial bombs and other munitions.

As one of the first companies to offer this service in the UK, Fellows have unrivalled experience delivering the UXO Risk Management process and are proud of our reputation for quality and cost-effective delivery, gained from our years of experience. Fellows can support you through the whole risk management process from project start to final delivery. While Fellows is mainly active in the UK, we also have a long history of operating overseas on projects all over the globe. We are proud to support both the construction and offshore industries with the right experience, people, qualifications and equipment to best identify, quantify and mitigate the UXO risk wherever it may be.

3. Requirement for UXO Risk Assessment

Background

There is no formal obligation requiring a UXO risk assessment to be undertaken for construction or development projects in the UK, nor is there any specific legislation stipulating the management or mitigation of UXO risk. However, the legislation outlined below makes very clear that those responsible for intrusive works (archaeology, site investigation, drilling, piling, excavation etc.) should undertake a comprehensive and robust assessment of the potential risks to employees and that mitigation measures are implemented to address any identified hazards.

CDM Regulations 2015

The Construction (Design and Management) Regulations 2015 (CDM 2015) defines the responsibilities of parties involved in the construction of temporary or permanent structures. CDM 2015 establishes a duty of care extending from clients, principle co-ordinators, designers, and contractors to those working on, or affected by, a project. Those responsible for construction projects may therefore be accountable for the personal or proprietary loss of third parties if correct health and safety procedure has not been applied.

Although CDM 2015 does not specifically reference UXO, the risk presented by such items is both within the scope and purpose of the legislation. It is therefore implied that there is an obligation on parties to:

- Provide or obtain an appropriate assessment of potential UXO risks at the site
- Emplace appropriate risk mitigation measures if necessary
- Supply all parties with relevant risk information
- Prepare a suitably robust emergency response plan.

Other legislation

The 1974 Health and Safety at Work etc. Act

All employers have a responsibility under the Health and Safety at Work etc Act 1974 and the Management of Health and Safety at Work Regulations 1999, to ensure the health and safety of their employees and third parties, so far as is reasonably practicable.

4. Site Description [Current]

Site location

The site is located adjacent to Keir Hardie Way, Barking. The postcode for the site is IG11 9NX with an approximate grid reference of SV 00052 00000.

Mapping / Satellite Imagery




Figure 1. Showing Satellite Imagery of the site area. [Google, 2020]

5. Barking and Dagenham Military History

The Barking and Dagenham area is associated with military and ordnance related activities from the 19th century. The area around the docks in particular was involved in the production of chemicals for the production of explosives, namely Ammonium Nitrate and Picric Acid. The local volunteer unit formed in this area during this period was a volunteer battalion of the West Essex Militia. With the forming of the Territorial Army in 1908 the local unit became the 4th Battalion of the Essex Regiment. In 1906 the War Department created the Purfleet Rifle ranges located approximately 4km to the SW of Dagenham and just across the River Thames at Thamesmead the Royal Arsenal established magazines for the storage of explosives.

Barking and Dagenham in WW1

During the period of the First World War, the Barking and Dagenham boroughs comprised of built areas, predominantly within Barking, with open agricultural land and locations where limited industrial activity took place along the riverside. As such, the area was not of strategic importance, and so did not suffer from German air raids.

The area was on the route of German air forces conducting raids on central London. Several raids are recorded as flying over the Barking and Dagenham area. Whilst there is anecdotal evidence that some bombs are recorded as having fallen in the Barking area, there was no significant bombing activity recorded.

Some of the limited industrial capacity located at Barking and Dagenham was involved with war related production. The Ajax Chemical Works located in Barking manufactured explosives, whilst the Nitrogen Products & Carbide Company of Dagenham produced Ammonium Nitrate for the production of explosives. In August 1917 an explosion occurred resulting in the death of 13 workers. As part of the WWI 'National Factories Scheme' the Ministry of Munitions had the National Cartridge & Box repair Factory N° 15 built at Dagenham Dock. It opened in 1916 and was responsible for repairing salvaged artillery cartridge cases and ammunition boxes.

Barking and Dagenham in WW2

The expansion of Barking Town eastwards took place during the interwar period, though Dagenham continued to remain agrarian and undeveloped, until 1921, when London County Council began the process of suburbanization and started construction of the vast Becontree Estate, which would eventually link Barking and Dagenham. This period also brought massive growth in industry, stretching along the northern bank of the River Thames. Helping to transform Dagenham from a rural district to urban district in 1926 and to finally to a municipal borough in 1938.

During WW2 the industrial capacity located within the Barking and Dagenham produced materials for the war effort. As such the area became a strategic target for attack by the German air force. The Ford car factory located on the banks of the River Thames became involved in the production of military vehicles and was bombed on a number of occasions. Other factories in the area were also involved in the production of war material. An example

of one of these companies was the Sterling Armament Company, who were located in Dagenham and produced sub-machine guns for the British Army and Royal Navy. This company continued to produce guns at its Dagenham factory until 1988.

Due to the existence of strategic targets and being geographically located to the east of central London the area was subjected to significant bombing. Not only were specific targets in Barking and Dagenham, but German aircraft in difficulties or as a result of being attacked would jettison bomb loads, before trying to escape and are also recorded as also having crashed in the locality. During the WW2 period, the area was bombed from 1940 until 1945. Over this period High Explosive and incendiary bombs were dropped across the area as well as parachute mines, V1 flying bombs and V2 long range rockets.

The 11th City of London (Dagenham) battalion was the Home Guard unit responsible for the defence of Dagenham in case of the German invasion of the UK. The 7th (Rippleside) battalion headquarters was located in Barking, while the 12th (Barking) battalion was responsible for the defence of the borough. During 1940 part of the London stop line anti-invasion defences were constructed in the Barking and Dagenham area, evidenced by the number of anti-tank obstacles across the Dagenham area.

As the threat from invasion diminished, the Home Guard gradually expanded its duties, to include support for the Civil Defence Services in aftermath of air raids, including the demolition of damaged structures, crowd and traffic control and tending to the wounded.

The two closest operational military airfields have been located and identified as RAF Fairlop and RAF Hornchurch. RAF Fairlop became operational in 1941 as a Fighter Command Station operating Supermarine Spitfires. In 1944, the airfield became a barrage balloon centre, with four squadrons forming part of the defence of London. RAF Hornchurch, was a key RAF Fighter Command Station, supporting efforts during the Battle of Britain. The airfield was also used for the training of aircrew and remained an active RAF station until its eventual closure in 1962.




Figure 2. Bombing density, by borough, in London during WWII. [London County Council Records]

Bombing activity near the site

Fellows has reviewed Air Raid Precaution (ARP) records, and Bombing Density information, held by The National Archives, alongside further Air Raid Precaution (ARP) records held by the Barking and Dagenham Archives and Local Studies Centre at Valence House, in addition to readily available records and internal Fellows documents related to Barking and Dagenham. By the end of the conflict, the Municipal Boroughs of Barking and Dagenham collectively recorded the loss of 1,297 buildings, with a further 12,743 properties which had been badly damaged.

It is worth noting historic records and maps of bomb strike locations cannot establish a full description of air raids that may have occurred during WW2 as the accuracy of wartime records are frequently difficult to verify.

Administrative Area (Municipal Borough)	Land Area		Numbers of items of Ordnance Recorded								Ordnance Density	
	Acres	Hectares	High Explosive Bombs	Parachute Mines	Oil Bombs	Phosphorus Bombs	Fire Pots	V1	V2	Total	Per 1,000 Acres	Per 100ha
Barking	3877	1570	484	26	12	11	15	40	20	608	157	39
Dagenham	6554	2554	466	24	26	50	1	31	18	616	94	23

Table 1. Ministry of Home security record of German Ordnance dropped within the municipal boroughs of Barking and Dagenham during WW2.



Figure 3. A 1946 dated aerial photograph showing the site as open ground.




Figure 4. Showing HE, AA shells, and V1 locations within a 500m radius of the site.

Historical developments

The table below depicts in chronological order the changes that the site has undergone from 1892 to 2020.





OS Map	
	
<p>Showing a section of 1892 OS mapping. The site occupies a section of open ground west of Lodge Road, later renamed Lodge Avenue.</p>	<p>Showing a section of the 1938 revision of OS mapping. The site occupies a section of open ground with residential properties visible along the eastern site border. This was the site's wartime composition.</p>
	
<p>Showing a section of the 1959 revision of OS mapping. The site and surrounding area have been built up during the intervening post-war period.</p>	<p>Showing a section of the 2020 revision of OS mapping, detailing the location of the site. Post-war development is evident in the area surrounding the site.</p>

Table 2. Summary table showing development of the site (Ordnance Survey Maps, 1892 – 2020).

6. Site Environment

The site occupies an area of approximately 0.15 Ha, comprising of shallow made (carparking and garages) ground.

Proposed scope of works

No detailed scope of works has been received for this site it is therefore assumed that there will be a range of shallow and deep excavation across the site as well as potential shallow and deep piling.

Ground conditions

Currently the site is comprised of shallow made (carparking area and garages) ground. Beneath this, it is assumed that the lithology will primarily comprise of clay, silt, and sand.

Site geological conditions

The local geology is comprised of superficial deposits of the Taplow Gravel Member (Sand and Gravel), overlying a bedrock geology comprising the London Clay Formation (Clay, Silt and Sand). This is consistent across the entire site.

Local Borehole information

The closest local borehole data has been collected from the British Geological Survey from a borehole conducted in 2000. The borehole is located at grid reference TQ 46151 83721 and is located approximately 450m south west of the site.

Borehole reference	Date	Location	Hole Depth	Strata (Thickness)
TQ48SE2003	January 2000	546151 E 183721 N	3m	<p>[0.15m] Made Ground - Paviers overlying sand bedding</p> <p>[0.25m] Made Ground - Concrete</p> <p>[1.30m] Made Ground - Black soily sand with fine to coarse gravel and fragments of ash, flint and brick</p> <p>[3.00m] Initially loose becoming very dense visually moist orange coarse sand and gravel with fragments of flint</p>

Table 3. Showing borehole logs for the nearest site [British Geological Survey, 2020].

7. Sources of Potential Unexploded Ordnance

UXO found at construction and development sites in the UK originates from three principal sources:

➤ **Munitions deposited as part of military training or exercises.**

In the UK, this can be historical from both World Wars and before but also more recent, especially as land reserved for military use is released for development.

➤ **Dumping**

Munitions abandoned or dumped, either deliberately post war, accidentally lost in transit or due to ineffective working practices during manufacture, storage and transportation.

➤ **Wartime activity (including aerial bombing)**

This includes ordnance resulting from wartime activities including enemy bombing, long range shelling, area or site denial weapons (mine fields or airfield pipe mines) and munitions from defensive activity such as anti-aircraft batteries or pre-invasion measures.

Other factors which may increase UXO risk

Transportation of aggregates containing munitions to an area that was previously free of UXO has led to small munitions contaminating a previously low risk site. This is usually related to construction activities employing material dredged from a contaminated offshore borrow site although the use of explosive contaminated soil or fill from higher risk areas should also be considered.

8. Aerial Bombing

General

During WW1 and WW2, many towns and cities across the UK were subjected to bombing which often resulted in extensive damage to city centres, docks, rail infrastructure and industrial areas. In addition to raids which concentrated on specific targets, indiscriminate bombing of large areas also took place, notably the London 'Blitz'. Bombing also affected many other towns and cities including Birmingham, Portsmouth and Bristol.

Approximately 10% of the bombs dropped on the UK did not detonate as designed. Although extensive efforts were made to locate and deal with these UXBs at the time, many still remain buried and can present a potential risk to construction projects.

Although the main focus of historical UXO research generally concerns German air-delivered ordnance dropped during WW2, all other forms of explosive contamination will also be considered.

One of the most common type of UXO discovered today is the aircraft delivered high explosive (HE) bomb. These are comparatively thick-skinned and dropped from enemy aircraft. If the bomb did not detonate when it was dropped, the force of impact enabled the bomb to penetrate the ground, often leaving behind it an entry hole. These entry holes were not always apparent, and some went unreported, leaving the bomb buried and unrecorded. The bomb then became an Unexploded Bomb or UXB.

Additional forms of German aerial UXO will be considered including WW2 'Vengeance' weapons (V1 and V2 rockets), small Incendiary Bombs (IBs), and Anti-personnel (AP) bomblets.

World War One aerial bombing

WW1 bombs were generally smaller than those used in WW2 and were dropped from a lower altitude, resulting in limited UXB penetration depths. Aerial bombing was often such a novelty at the time that it attracted public interest and even spectators to watch the raids in progress.

London was the target of a sustained aerial bombing campaign during the First World War. There is anecdotal evidence and mapping to suggest that WW1 aerial bombs landed in the Barking area on the nights of 5 June 1917 and 4 September 1917, but no detailed records exist to locate accurately the areas where they fell, and the mapping is of such large scale accuracy is impossible. Given the rural nature of the site at the time of these raids by Gotha Bombers and the limited penetration capability of WW1 German bombs, the threat from WW1 German UXBs will not be considered further in this report.

World War Two aerial bombing

Targeting

Although the Luftwaffe had designated primary bombing targets across the UK, their high-altitude night-time bombing was not accurate. As a result, thousands of buildings were damaged and civilian fatalities were common. Bombs were also jettisoned over opportunistic targets and residential areas were often struck.

When Luftwaffe aircraft wished to escape due to interception by fighter aircraft or anti-aircraft fire, they would jettison their bombload to increase speed and manoeuvrability. This is commonly referred to as tip and run and it has resulted in bombs being found in unexpected locations.

Decoy sites

RAF and Royal Navy decoy sites were constructed in the vicinity of legitimate targets to deceive and decoy enemy bombers. For obvious reasons, such sites were often built in remote and uninhabited areas. Some were more successful than others and received relatively high bombing rates.

There are no records of decoy sites within 5km of the site.

Aerial bombs


The most commonly dropped German aerial weapon was the SC50 (50kg). The next largest weapon is the SC250 (250kg) HE bomb. These were dropped primarily against soft targets such as gas and electricity installations, factories, housing and transport infrastructure.


Although the Luftwaffe deployed larger bombs in the area, their deployment was infrequent, the majority of bombs dropped were SC50 (50kg) and SC250 (250kg) HE bombs.

UXB risk of encounter has been assessed by using the SC50 and SC250 as the primary risk weapon.

WW2 German Aerial Ordnance

Type		Description
High Explosive (HE) Bombs	 <p>German SC250 (recovered casing)</p>	<p>The SC series of HE Bombs were a thin cased general-purpose bomb used as general demolition bombs.</p> <p>Most bombs were 50kg, 250kg or 500kg, although larger bombs of up to 1,800kg were also used. About half the weight of these HE bombs comprised of explosive fill.</p>
	 <p>German SC50 (London 2015)</p>	<p>The SC50 had a one-piece drawn steel body and its total weight was 48 to 55 kg.[1] It was dropped on targets across the UK.</p> <p>The SD series of bombs were thicker cased, with a lower charge weight used against hardened targets.</p>

Type	Description	
Incendiary bombs	 <p>1Kg Incendiary Bomb</p>	<p>The 1 kg B1E incendiary bomb consisted of a cylinder of magnesium alloy, with an incendiary filling of thermite. Rivetted to the body was a steel tail with three fins. These bombs did not explode but were ignited by a small percussion charge, fired upon impact. They were dropped in a variety of containers. Later an explosive head was incorporated into the IB.</p>

Type	Description	
Anti-Personnel (AP) bombs	 <p>SD2 'Butterfly' Bomb [Armed status]</p>	<p>A Butterfly Bomb (or <i>Sprengbombe Dickwandig</i> 2kg or SD2) was a German 2-kilogram anti-personnel sub munition used by the Luftwaffe during the Second World War. It was so named because the thin cylindrical metal outer shell which hinged open when the bomblet deployed gave it the superficial appearance of a large butterfly. The design was very distinctive and easy to recognise. SD2 bomblets were not dropped individually but were packed into containers holding between 6 and 108 sub munitions. These broke open in air and scattered the sub-munitions.</p>

UXB Initiation

Unexploded ordnance does not normally spontaneously explode. Military high explosive is generally reasonably stable and requires significant energy, normally via a fuze and initiation system for detonation to occur. In the case of unexploded German bombs discovered within the construction site environment, there are a number of other potential initiation mechanisms.

Direct impact

Unless the fuze or fuze pocket is struck, there needs to be a significant impact e.g. from piling machinery or large and violent mechanical excavation, onto the main body of the weapon to initiate a buried iron bomb. Although it is unlikely, such violent action could cause a bomb to detonate.

Fuzes

Most German bomb and mine fuzes were electric and were highly engineered compared to their British equivalents. A small proportion of German WW2 bombs employed clockwork fuzes. It is probable that clockwork or mechanical fuze mechanisms would have corroded since WW2 and this will generally prevent them from functioning.

Friction impact

Impact from construction machinery or processes could initiate the shock-sensitive fuze explosive. The effects of chemical breakdown of explosive fill and general degradation over time can cause explosive compounds to crystallise and extrude out from the main body of the bomb. It may only require a limited amount of energy to initiate the extruded explosive around the fuze pocket which could detonate the main charge.

Consequence of interaction

When considering the potential consequences of a detonation, it is necessary to identify who may be affected. These will vary depending on the site-specific conditions but can be summarised as:

- People – site workers, local residents and general public.
- Plant and equipment – construction plant on site.
- Services – subsurface gas, electricity, telecommunications.
- Structures – not only visible damage to above ground buildings, but potentially damage to foundations and the weakening of support structures.
- Environment – introduction of potentially contaminating materials.

Failure Rate of German air-delivered ordnance

It has been estimated that 10% of the German HE bombs dropped during WW2 failed to explode as designed. There are a number of reasons why an air-delivered weapon might fail to function as designed:

- Malfunction of the fuze or initiation mechanism (either electric or clockwork)
- Failure of the bomber aircraft to arm bombs correctly
- Jettisoning of the bomb before it was armed or from a very low altitude. Likely if the bomber was under attack or attempting a forced landing due to damage.

Unexploded ordnance is still regularly encountered across the UK and is dealt with on a routine basis by military and commercial Bomb Disposal teams.

Bomb penetration

An important consideration when assessing the risk from a UXB is the likely maximum depth of penetration. There are several factors which determine the depth that an unexploded bomb will penetrate to:

- Size and shape of bomb
- Height of release
- Velocity and angle of bomb
- Nature of the ground cover
- Underlying geology

Geology is perhaps the most important variable. If the ground is soft, there is a greater potential of deeper penetration. For example, peat and alluvial deposits are easier to penetrate than gravel and sand. Layers of hard strata will significantly retard and may stop the trajectory of a UXB.

Impact angle and velocity

It is assumed that bombs struck at an angle 80-85° from vertical and at c. 270 metres per second. These are standard figures used for bomb release from an aircraft at normal altitude. Other factors such as low speed or altitude of the bombing aircraft may alter these figures, but no records are available to suggest any low-level raids or incidents.

Buried bombs

When bombs strike but do not detonate, they can easily remain undetected. Note that the entry hole of an SC50 (the most commonly deployed German HE bomb) could have been as small as 20cm in diameter and therefore easily obscured within dense crops, or unmaintained vegetation, rough soil or rubble from previous damage.

The J-Curve Effect

J-curve is the term used to describe the characteristic curve commonly followed by an air-delivered bomb dropped from height after it penetrates the ground. Typically, as the bomb is slowed by its passage through underlying soils, its trajectory curves towards the surface.

Many UXBs are found with their nose cone pointing upwards as a result of this effect. More importantly however is the resulting horizontal offset from the point of entry. This is typically a distance of about one third of the bomb's penetration depth but can be up to 15m leading to bombs settling underneath undamaged buildings.




Figure 5. Demonstrating the J-Curve.

9. UXB Risk at the Site

Abandoned bombs

Research did not indicate the presence of any abandoned bombs within the site boundary. The closest was located approximately 840m south site close to Chelmer Crescent.

Bombing density at site

Archival records show that there were 16 HE bomb strikes within a 500m radius of the site. No bombs were recorded as having fallen on the site, with the closest recorded falling approximately 60m north west of the site boundary.

Local geology

The local geology is comprised of superficial deposits of the Taplow Gravel Member (Sand and Gravel), overlying a bedrock geology comprising the London Clay Formation (Clay, Silt and Sand). This is consistent across the entire site.

Post war / previous works

There has been limited development of the site following the Second World War. Post-war aerial photography shows that the site was developed into car parking and garages for nearby housing situated along Keir Hardie Way by 1966, and OS mapping indicates this was completed by 1959.

Bomb penetration depth at this site

Due to the local geology, the previous land usage and the history of the area, maximum bomb penetration depth for an SC50 (50kg) bomb is assessed to be 4m bgl. The SC250 (250kg) bomb is considered to have a maximum bomb penetration depth of 8m bgl.

10. Other Military Ordnance

In addition to aerial bombs, there may also be a risk from other items including discarded or forgotten land munitions from both wartime and peacetime military use. Typical military activities may include:

- Former minefields; often on beaches on the South and East coasts of England
- Home Guard weapons and munitions
- Anti-Aircraft sites
- Training & firing ranges
- Military bases
- Munitions manufacture and storage sites

During the early years of WW2 huge preparations were underway to defend the UK against German attack. This often included the hiding or caching of defensive ordnance at or near to strategically or tactically important locations.


Items may include small arms ammunition, mortar bombs and hand grenades or even crudely manufactured defensive weapons designed for Home Guard use such as the No.76 SIP (Self Igniting Phosphorus) grenades. These items, resembling a milk bottle are frequently found in original crates during shallow excavations or building demolition and although small in size can inflict life-changing injuries if not dealt with correctly. The potential risk of encountering allied ordnance on construction sites is particularly elevated in areas previously associated with military activity. This includes munitions deposited by military training exercises, dumped as a result of poor working practices, or deliberately placed to prevent adversary occupation.

Anti-Aircraft Artillery

Urban areas can be at risk from shallow buried unexploded Anti-Aircraft projectiles fired during WW2.

At the onset of WW2 two types of Anti-Aircraft Artillery (AAA) guns were deployed:

- Heavy Anti-Aircraft Artillery (HAA), using large calibre weapons, such as the 3.7" QF [Quick Firing] gun. Normally fixed batteries.
- Light Anti-Aircraft Artillery (LAA) using smaller calibre weapons, such as 40mm Bofors gun. Often mobile, vehicle mounted batteries.

Type	Description
Anti-Aircraft Shells  40mm AA Shells found at W Sussex site	Fixed [Heavy] Anti-Aircraft batteries were set up all around the country to defend potential targets from aerial attack. Size of guns and shells ranged from small, quick-firing 40mm Bofors guns to larger 3.7 or 4.5inch guns. 3.7 Inch = 12.7kg 94mm x 438mm 40mm = 0.9kg 40mm x 311mm 4.5 Inch = 24.7kg 114mm x 578mm

LAA batteries were intended to engage fast, low flying aircraft and were typically deployed around military bases, RAF airfields or important installations. These batteries were mobile and could be moved to new positions with relative ease when required. The most numerous of these were the 40mm Bofors gun, which could fire up to 120 x 40mm HE shells per minute to over 1,800m.

HAA projectiles were high explosive shells, usually fitted with a time delay or a barometric pressure fuze to make them explode at a pre-determined height. If they failed to explode or strike an aircraft, they would eventually descend back to earth.

Dependent on-site conditions, larger AAA projectiles can be encountered beyond a depth of 2m.

The smaller 40mm projectiles are similar in appearance and effect to SAA and, although still dangerous, present a lower hazard due to its decreased explosive content.

Numerous unexploded AAA shells were recovered during and following WW2 and are still occasionally encountered on sites today.

AAA Emplacements

There were three HAA batteries and a 'Z' Type 3" Rocket Battery within a 5km radius of the site, with 3 AA shells being recorded as having fallen in close proximity of the site, the closest being recorded falling approximately 250m south of the site boundary. However, given limited size of the site, and extensive development in the area directly adjacent to the site during the immediate post-war period, the risk of encountering 'fall to earth' AA munitions has been assessed as low.

AA Site / Location	Distance from Site
Creek Mouth	1.6 km South East
Barking Park	1.8km North West
Parsloes Park ['Z' Type 3" Rocket Battery]	1.8km North East
Plumstead Marshes	4.0 km South East

Table 4. Showing HAA Anti-Aircraft emplacements within 5km of the site.





Figure 6. Showing military activity within a 5km radius of the site.

Other defensive munitions

As the threat of invasion lingered over Britain during WW2, large areas of land were requisitioned for military training and exercises. Thousands of tonnes of munitions including HE bombs, artillery projectiles, Naval shells, bulk explosives and infantry weapons such as grenades and small arms ammunition were used in weapon testing and military training. It has been estimated that at least 20 per cent of the UK's land has been used for military training at some point.

Type		Description
No.76 SIP Grenade		<p>No.76 SIP (Self Igniting Phosphorus) grenades. These items, resembling a milk bottle are frequently found during shallow excavations or building demolition and although small in size can inflict life-changing injuries if not dealt with correctly.</p> <p>Found in wooden crates of 24 items.</p>

Type		Description
Hand Grenades	 <p>British Mills No.36 Grenade</p>	<p>Contains a small amount of High Explosive and a rudimentary time delay fuze.</p> <p>The absence of a pin and fly-off handle indicate the item is potentially live.</p> <p>The distinctive segmented (Pineapple) casing gives the fragmentation effect on detonation.</p>

Small Arms Ammunition

The most common type of ordnance encountered on land formerly used by the military are items of Small Arms Ammunition [SAA]. SAA refers to the complete round or cartridge designed to be used with hand-held infantry weapons such as rifles, machine guns and pistols. SAA can include bullets, cartridge cases and primers/caps. Items of SAA can be accidentally initiated by striking the casing or coming into contact with fire. SAA presents only minimal risk although it must be disposed of correctly if found on-site.

Type		Description
Small Arms Ammunition	 <p style="text-align: center;">Small Arms Ammunition</p>	<p>Small arms of various sizes from 4 or 5mm calibre (diameter) up to 12 to 13mm.</p> <p>Generally, the head is inert and made of lead or similar dense material.</p> <p>Brass cases without the head pose no risk.</p>

11. Overall UXO Risk Assessment

In establishing the UXO risk at this site, Fellows take the following factors into account:

- The amount and nature of WW1 and WW2 German aerial bombing
- The nature and conditions of the site during at the time
- Other military use of the site i.e. AA Gun sites, storage, training
- The extent of post-war development and UXO clearance operations on site
- The scope and nature of the proposed works and assessed bomb penetration depth
- The nature of non-aerial ordnance that may have contaminated the site area

Risk Assessment

The risk assessment matrix below is based upon the chance of encountering items of ordnance and the consequence of interaction with them. This can range from the detonation by design (via fuzing and explosive train) of a large aerial bomb to the accidental breakage of old Home Guard glass bottle grenades.

In accordance with standard UK risk assessment methodologies, the overall risk is gained by multiplying the likelihood [chance of encounter] with the consequence [consequence of interaction] and is graded from negligible to Very High risk.

Descriptors

Chance of encounter

1	2	3	4	5
Not at all likely	Unlikely	Possible	Likely	Almost certain

Consequence of interaction with munition

1	2	3	4	5
First aid incident	Minor injuries	Severe injuries	Fatalities	Multiple fatalities

Overall risk calculation [Chance of Encounter X Consequence of interaction]

1-5	6-10	11-15	16-20	21-25
Negligible	Low Risk	Medium Risk	High Risk	Very High Risk

Summary

German Air Service Munitions

During the Second World War, Barking and Dagenham was targeted repeatedly, owing to numerous strategic targets contained within the current boundaries of the borough, including at least three located within a 5km radius of the site. There were 16 recorded HE bomb strikes within a 500m radius of the site. The closest of these bombs is recorded as having fallen approximately 60m north west of the site boundary. During the conflict the site comprised unmade ground (open ground along the north eastern boundary of Rippleside Cemetery). Post-war aerial photography does not reveal any obvious bomb damage on the site. Immediate post-war development of the area has seen shallow works completed across the site (car parking and garages serving the adjacent housing development along Keir Hardie Way). A low bombing density was recorded in close proximity to the site. However, as the site comprised unmade ground during the Second World, with limited shallow works completed during the post-war period, it is assessed that there is a medium risk of encountering buried German aerial UXBs.

AAA Emplacements

There were three HAA batteries within a 5km radius of the site, with five AA shells recorded as having fallen in close proximity to the site, the closest falling approximately 300m to the north east of the site boundary. A 'Z' Type 3" Rocket Battery was situated approximately 1.8km north east of the site in Parsloes Park. While the site comprised open ground during the Second World War, given extensive development of the adjacent areas and constant use during the post-war period, the risk of encountering 'fall to earth,' AA munitions has been assessed as low.

Other (Land service Ammunition etc.)

No military sites are located nearby therefore these types of munitions would not have been present. It is assessed, therefore, that the risk of encounter is therefore negligible.

Risk Assessment

ACTIVITY	THREAT ITEM	CHANCE OF ENCOUNTER	CONSEQUENCE	RISK
Shallow Excavation [$<2\text{m}$] or Trial Pits	HE Bombs	2	5	10
	AAA Shells / IBs	2	4	8
	Other munitions	2	3	6
Window Sampling / shallow boreholes [$<2\text{m}$]	HE Bombs	2	5	10
	AAA Shells / IBs	2	4	8
	Other munitions	2	3	6

ACTIVITY	THREAT ITEM	CHANCE OF ENCOUNTER	CONSEQUENCE	RISK
Deeper excavations [$>2\text{m}$] i.e. Basement excavations	HE Bombs	3	5	15
	AAA Shells / IBs	3	4	12
	Other munitions	1	3	3
Piling and deep boreholes	HE Bombs	3	5	15
	AAA Shells / IBs	3	4	12
	Other munitions	1	3	3

12. Recommendations to Reduce UXO Risk to ALARP

For all works within the site area:

UXO Awareness Training

A UXO Awareness Brief (UXOAB) be delivered to all site personnel. This can also include a site safety walk-through and provision of a UXO Emergency Response Plan for inclusion into the site H&S documentation.

For Piling / deep excavations

If piling is planned within the client scope of works, risk mitigation processes, including Cone Penetration Testing will be required for pile positions into virgin ground.

For deep excavations (deeper than 2m below existing ground level) a UXO Engineer should be retained on-site to oversee groundworks.

On-call Service

For areas / sites where on-site support is not considered necessary, Fellows provide an on-call service whereby clients can call Fellows between 0800 and 1800 Mon-Fri (out with these hours by prior arrangement) and a senior member of the operations team will be able to answer queries and offer advice on any items of potential UXO found during site works.

This can significantly reduce the risk of accidental detonation when items are found unexpectedly and can often fulfil local authority planning stipulations for UXO risk mitigation.

Emergency Response Plan

A site-specific emergency response plan (ERP) should be produced to provide clear and precise guidance on what to do should UXO be encountered, and / or detonated as part of the site works. It should be accompanied by emergency management team roles and responsibilities.

The ERP should be included in the health and safety plan for the proposed works and communicated to the work force at the operational level, typically as part of a toolbox talk.

The ERP should be appropriate to the level of risk identified in this desk study.

Fellows International Limited can provide all of the above services and would be pleased to provide a proposal accordingly.

For further information, or to discuss requirements, please get in touch.

Web – www.fellowsint.com

Tel – 08000 424 424

Email – info@fellowsint.com

13. References

The following sources of information were consulted in putting together this report:

BARKING HISTORICAL SOCIETY, www.barkinghistoricalsociety.co.uk

BRITAIN FROM ABOVE AIR IMAGES, <https://britainfromabove.org.uk>

BRITISH GEOLOGICAL SURVEY, 2020. *GeoIndex* [viewed 09 Sep 2020]. Available from: <http://mapapps2.bgs.ac.uk/geoindex/home.html>

FELLOWS INTERNATIONAL ARCHIVES

NATIONAL ARCHIVES AND RECORDS ADMINISTRATION (NARA) CATALOG [viewed 10 Sep 2020]

NATIONAL LIBRARY OF SCOTLAND, 2020. *OS MAPS*. [viewed 10 Sep 2020]. Available from: <https://maps.nls.uk>

OS MAPS, 2020. [viewed 07 Sep 2020] Available from: <https://osmaps.ordnancesurvey.co.uk>

UK GRID REFERENCE FINDER, <https://gridreferencefinder.com/>

FEGAN, T, 2002, The 'Baby Killers' German Air Raids on Britain in the First World War. Pen & Sword Books Limited.

MORRIS, J, 1993, German Air Raids on Britain 1914-1918, The Naval & Military Press.

DOBINSON, C, 2001, AA Command, Britain's Anti-Aircraft Defences of WWII. Methuen Publishing Ltd

This assessment has been produced for Be First [Regeneration] Ltd. and has been completed without the benefit of knowing the exact intentions of third parties and should therefore not be used by such organisations without prior consultation with Fellows International Ltd [Fellows].

Our assessment relies upon the accuracy of the information contained in the documents and resources consulted on the date of production. Fellows can in no way be held responsible for the accuracy of such information or data supplied or for any hazard encountered at the site due to import of materials after this date.

Fellows is recognised as one of the leading UXO Risk Management companies specialising in UXO Risk Assessments, Site Survey, Ground Investigation Support and UXO Awareness Training.

Conducting these operations requires not only the most experienced field staff, but also dedicated and experienced project management. Careful planning and co-ordination are needed from start to finish, backed up by detailed operational procedures. With many years' experience, Fellows has built up a reputation for reliability, whatever the risk. In recognition of our commitment to the quality of our work and the health and safety of our workforce, Fellows has been awarded UKAS accreditations in both ISO 9001-2015 [Quality] and ISO 45001-2018 [Occupational Health & Safety].

FELLOWS

The UXO risk management experts

Part of the Optima Group

Fellows International Ltd
160 Ordnance Business Park
Aerodrome Road
Gosport
Hampshire
PO13 0FG

t. 08000 424 424
e. info@fellowsint.com